

To: [Nonresponsive based on revised scope]@WestonSolutions.com]
From: Wagner, Christine[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]
Sent: Tue 6/2/2020 8:42:21 PM (UTC)
Subject: RE: And another

[Nonresponsive based on revised scope]

These all appear to be Property 1?
Right?

Thanks

From: [Nonresponsive based on revised scope]@WestonSolutions.com>
Sent: Tuesday, June 02, 2020 3:48 PM
To: Wagner, Christine <Wagner.Christine@epa.gov>
Subject: RE: And another

Chris,

Attached are photos of Property 2 from the last day on Site.

Do you need photos from before with windrow piles, to show the operations?

Thank you,

[Nonresponsive based on revised scope]

From: Wagner, Christine [mailto:Wagner.Christine@epa.gov]
Sent: Tuesday, June 02, 2020 15:29
To: [Nonresponsive based on revised scope]@WestonSolutions.com>
Subject: And another

**** External Email ****

[Nonresponsive based on revised scope]

I'm sorry, but you can expect to receive additional questions from me as the Action Memo is going through review.

Do you have any late pictures of Property 2 in the last few weeks we were there? I am only interested in the North side where we are doing the work

Thanks
Chris

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.